




298323



Timothy
Prendiville/R5/USEPA/US
02/06/2008 10:09 AM

To "Matuszak, Steven J" <SJMatuszak@integrysgroup.com>

cc

bcc

Subject Re: Split Sampling

Distribution
List

Steve,

We've traditionally allowed split sampling. The only issue we've run in with that is on Fund lead work where the split sampling may require additional volume to be acquired. The owner's should be made aware that site decisions would be based on our/your sample results because they are the ones being collected and analyzed under the approved QAPP. It would probably be appropriate to add language to the Sampling Plan on how splits will be taken, i.e. will they be totally separate samples or will the splits be pulled from volume taken by you guys. The primary concern being unnecessary handling of VOC's and SVOC samples to accomodate the split.

Tim Prendiville
Remedial Project Manager
U.S. EPA (SR-6J)
77 W. Jackson Blvd.
Chicago, IL 60604
(312) 886-5122
toll free (800) 621-8431 ext 65122

-----"Matuszak, Steven J" <SJMatuszak@integrysgroup.com> wrote: -----

To: Timothy Prendiville/R5/USEPA/US@EPA
From: "Matuszak, Steven J" <SJMatuszak@integrysgroup.com>
Date: 02/05/2008 04:52PM
Subject: Split Sampling

One additional item for your consideration.

Some owners are requesting to be able to take split samples. Does that pose any problems for you? Is this something the Agency normally allows?

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and delete the material from any computer.